

reviewers for “Article for Deletion” discussions for further investigation.

5. CONCLUSION

In this paper, we implemented a system that automatically evaluates the decision related to the notability of a named entity which in turn warrants its article inclusion in Wikipedia. Our early efforts in this direction show that reliable domains and entity salience features can be good measures to determine the notability of a named entity.

However this problem paves a path for various directions of future research. Our method is applicable for categories like actors, movies or software companies as they have common reliable web-domains across the named entities belonging to the category. However, the categories that have articles with concepts like temperature, physical phenomena, etc require more sophisticated approaches for automating the reliability and significant coverage of the named entities. Automation of features like subject-specific notability which involve more complex rules and more efficient reliability automation can lead us towards automating notability of any kind of entry in Wikipedia. As discussed in section 2 we can also extend our notability features to support cross-language content.

In our future work, we would focus on the aforementioned techniques which would make notability more scalable unlike our current approach that restricts to named entities.

6. REFERENCES

- [1] D. Alberani. Python package: Imdbpy. <https://github.com/alberanid/imdbpy>.
- [2] D. Gillick and J. Dunietz. A new entity salience task with millions of training examples. In *Proceedings of the European Association for Computational Linguistics*, 2014.
- [3] C. Kohlschütter, P. Fankhauser, and W. Nejdl. Boilerplate detection using shallow text features. In *Proceedings of the Third ACM International Conference on Web Search and Data Mining, WSDM '10*, pages 441–450, New York, NY, USA, 2010. ACM.
- [4] C. D. Manning, M. Surdeanu, J. Bauer, J. Finkel, S. J. Bethard, and D. McClosky. The Stanford CoreNLP natural language processing toolkit. In *Association for Computational Linguistics (ACL) System Demonstrations*, pages 55–60, 2014.
- [5] Y. Pochampally, K. Karlapalem, and N. Yarrabelly. Semi-supervised automatic generation of wikipedia articles for named entities. In *Wiki, Papers from the 2016 ICWSM Workshop, Cologne, Germany, May 17, 2016*, 2016.
- [6] C. Sauper and R. Barzilay. Automatically generating wikipedia articles: A structure-aware approach. In *Proceedings of the Joint Conference of the 47th Annual Meeting of the ACL and the 4th International Joint Conference on Natural Language Processing of the AFNLP: Volume 1 - Volume 1, ACL '09*, pages 208–216, Stroudsburg, PA, USA, 2009. Association for Computational Linguistics.
- [7] E. Wulczyn, R. West, L. Zia, and J. Leskovec. Growing wikipedia across languages via recommendation. *CoRR*, abs/1604.03235, 2016.
- [8] C. Yao, S. Feng, X. Jia, F. Zhou, S. Shou, and H. Liu. Autopedia: Automatic domain-independent wikipedia article generation, 2011.